



Poland syndrome

Poland syndrome is a disorder in which affected individuals are born with missing or underdeveloped muscles on one side of the body, resulting in abnormalities that can affect the chest, shoulder, arm, and hand. The extent and severity of the abnormalities vary among affected individuals.

People with Poland syndrome are typically missing part of one of the major chest muscles, called the pectoralis major. In most affected individuals, the missing part is the large section of the muscle that normally runs from the upper arm to the breastbone (sternum). The abnormal pectoralis major muscle may cause the chest to appear concave. In some cases, additional muscles on the affected side of the torso, including muscles in the chest wall, side, and shoulder, may be missing or underdeveloped. There may also be rib cage abnormalities, such as shortened ribs, and the ribs may be noticeable due to less fat under the skin (subcutaneous fat). Breast and nipple abnormalities may also occur, and underarm (axillary) hair is sometimes sparse or abnormally placed. In most cases, the abnormalities in the chest area do not cause health problems or affect movement.

Many people with Poland syndrome have hand abnormalities on the affected side, commonly including an underdeveloped hand with abnormally short fingers (brachydactyly); small, underdeveloped (vestigial) fingers; and some fingers that are fused together (syndactyly). This combination of hand abnormalities is called symbrachydactyly. Some affected individuals have only one or two of these features, or have a mild hand abnormality that is hardly noticeable; more severe abnormalities can cause problems with use of the hand. The bones of the forearm (radius and ulna) are shortened in some people with Poland syndrome, but this shortening may also be difficult to detect unless measured.

Mild cases of Poland syndrome without hand involvement may not be evident until puberty, when the differences (asymmetry) between the two sides of the chest become more apparent. By contrast, severely affected individuals have abnormalities of the chest, hand, or both that are apparent at birth. In rare cases, severely affected individuals have abnormalities of internal organs such as a lung or a kidney, or the heart is abnormally located in the right side of the chest (dextrocardia).

Rarely, chest and hand abnormalities resembling those of Poland syndrome occur on both sides of the body, but researchers disagree as to whether this condition is a variant of Poland syndrome or a different disorder.

Frequency

Poland syndrome has been estimated to occur in 1 in 20,000 newborns. For unknown reasons, this disorder occurs more than twice as often in males than in females. Poland syndrome may be underdiagnosed because mild cases without hand involvement may never come to medical attention.

Genetic Changes

The cause of Poland syndrome is unknown. Researchers have suggested that it may result from a disruption of blood flow during development before birth. This disruption is thought to occur at about the sixth week of embryonic development and affect blood vessels that will become the subclavian and vertebral arteries on each side of the body. The arteries normally supply blood to embryonic tissues that give rise to the chest wall and hand on their respective sides. Variations in the site and extent of the disruption may explain the range of signs and symptoms that occur in Poland syndrome. Abnormality of an embryonic structure called the apical ectodermal ridge, which helps direct early limb development, may also be involved in this disorder.

Rare cases of Poland syndrome are thought to be caused by a genetic change that can be passed down in families, but no related genes have been identified.

Inheritance Pattern

Most cases of Poland syndrome are sporadic, which means they are not inherited and occur in people with no history of the disorder in their families. Rarely, this condition is passed through generations in families. In these families the condition appears to be inherited in an autosomal dominant pattern, which means one copy of an altered gene in each cell is sufficient to cause the disorder, although no associated genes have been found.

Other Names for This Condition

- Poland anomaly
- Poland sequence
- Poland syndactyly
- Poland's anomaly
- Poland's syndrome
- unilateral defect of pectoralis major and syndactyly of the hand

Diagnosis & Management

These resources address the diagnosis or management of Poland syndrome:

- Children's Medical Center of Dallas
<https://www.childrens.com/specialties-services/specialty-centers-and-programs/plastic-craniofacial-surgery/programs-and-services/reconstructive-surgery/breast-and-chest-wall-deformities/poland-syndrome>
- Genetic Testing Registry: Poland anomaly
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0032357/>
- Great Ormond Street Hospital (UK): Treatment Options for Symbrachydactyly
<http://www.gosh.nhs.uk/medical-information-0/procedures-and-treatments/treatment-options-symbrachydactyly>
- St. Louis Children's Hospital: Chest Wall Deformities
<http://www.stlouischildrens.org/our-services/general-surgery/chest-wall-deformities>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Birth Defects
<https://medlineplus.gov/birthdefects.html>
- Health Topic: Finger Injuries and Disorders
<https://medlineplus.gov/fingerinjuriesanddisorders.html>
- Health Topic: Hand Injuries and Disorders
<https://medlineplus.gov/handinjuriesanddisorders.html>

Genetic and Rare Diseases Information Center

- Poland syndrome
<https://rarediseases.info.nih.gov/diseases/7412/poland-syndrome>

Additional NIH Resources

- National Human Genome Research Institute
<https://www.genome.gov/14514230/>

Educational Resources

- Disease InfoSearch: Poland syndrome
<http://www.diseaseinfosearch.org/Poland+syndrome/5817>
- MalaCards: poland syndrome
http://www.malacards.org/card/poland_syndrome
- Orphanet: Poland syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2911
- Washington University in St. Louis Neuromuscular Disease Center
<http://neuromuscular.wustl.edu/syncm.html#pectoral>

Patient Support and Advocacy Resources

- Contact a Family
<http://www.cafamily.org.uk/medical-information/conditions/p/poland-syndrome/>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/poland-syndrome/>

Genetic Testing Registry

- Poland anomaly
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0032357/>

Scientific articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Poland+Syndrome%5BMAJR%5D%29+AND+%28Poland+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- POLAND SYNDROME
<http://omim.org/entry/173800>

Sources for This Summary

- Baban A, Torre M, Bianca S, Buluggiu A, Rossello MI, Calevo MG, Valle M, Ravazzolo R, Jasonni V, Lerone M. Poland syndrome with bilateral features: case description with review of the literature. *Am J Med Genet A*. 2009 Jul;149A(7):1597-602. doi: 10.1002/ajmg.a.32922. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19533787>
- Chowdhury MK, Chakraborty R, Gope S. Poland's syndrome: a case report and review of literature. *J Pak Med Assoc*. 2015 Jan;65(1):87-9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25831684>
- Cingel V, Bohac M, Mestanova V, Zabojsnikova L, Varga I. Poland syndrome: from embryological basis to plastic surgery. *Surg Radiol Anat*. 2013 Oct;35(8):639-46. doi: 10.1007/s00276-013-1083-7. Epub 2013 Feb 19. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23420344>
- Fokin AA. Thoracic defects: cleft sternum and Poland syndrome. *Thorac Surg Clin*. 2010 Nov;20(4):575-82. doi: 10.1016/j.thorsurg.2010.06.001. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20974442>
- Lee SH, Kim JB, Park NH, Keum DY, Kim YH. Rare combination of dextrocardia with right-sided Poland syndrome. *Ann Thorac Surg*. 2012 Oct;94(4):e103-4. doi: 10.1016/j.athoracsur.2012.03.106.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23006716>
- Seyfer AE, Fox JP, Hamilton CG. Poland syndrome: evaluation and treatment of the chest wall in 63 patients. *Plast Reconstr Surg*. 2010 Sep;126(3):902-11. doi: 10.1097/PRS.0b013e3181e60435.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20811224>
- Urschel HC Jr. Poland syndrome. *Semin Thorac Cardiovasc Surg*. 2009 Spring;21(1):89-94. doi: 10.1053/j.semtcvs.2009.03.004. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19632568>
- Yiyit N, Isitmangil T, Öksüz S. Clinical analysis of 113 patients with Poland syndrome. *Ann Thorac Surg*. 2015 Mar;99(3):999-1004. doi: 10.1016/j.athoracsur.2014.10.036. Epub 2015 Jan 27.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25633462>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/poland-syndrome>

Reviewed: April 2016

Published: January 24, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services